



Dart Hawkesbury  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

**D4821-1**  
**Job Sheet 167751**



Part No: D4821-1

Job Qty: 8 ea

Part Name: Windshield Deflector



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 11/6/17

Job Tracking No:

Due Date: 12/8/17

Created By: Chantal Lavoie

Type: Stock

Description:

Ship Via:

*Handwritten:* *REV B*

### Bill of Materials

### Job Routing

| Op No | Operation          | Qty   | Start Date | Due Date | Standard  |         | Workcenter/Supplier   |           | Sign-off |
|-------|--------------------|-------|------------|----------|-----------|---------|-----------------------|-----------|----------|
|       |                    |       |            |          | Setup hrs | Run Hrs | Workcenter / Supplier | Lead Time |          |
| 90    | Start up Operation | 8 Ea  |            | 12/7/17  | 0.00      | 0.00    | Start up container    |           |          |
| 100   | Bandsaw            | 8 pcs |            | 12/7/17  | 0.00      | 0.01    | Bandsaw1              |           |          |
| 110   | Purchasing         | 8 pcs |            | 12/7/17  | 0.00      | 0.00    | Purchasing            |           |          |
| 120   | Packaging          | 8 pcs |            | 12/7/17  | 0.00      | 0.00    | Packaging2            |           |          |
| 130   | QC                 | 8 pcs |            | 12/7/17  | 0.00      | 0.00    | QC5                   |           |          |
| 131   | HandFinish         | 8 pcs |            | 12/8/17  | 0.00      | 0.82    | HandFinish4           |           |          |
| 140   | Outsource          | 8 pcs |            | 12/8/17  | 0.00      | 0.00    | Outsource4            |           |          |
| 150   | Packaging          | 8 pcs |            | 12/8/17  | 0.00      | 0.00    | Packaging2            |           |          |
| 152   | QC                 | 8 pcs |            | 12/8/17  | 0.00      | 0.00    | QC14                  |           |          |
| 155   | QC                 | 8 pcs |            | 12/8/17  | 0.00      | 0.00    | QC5                   |           |          |
| 180   | Packaging          | 8 pcs |            | 12/8/17  | 0.00      | 0.00    | Packaging3            |           |          |
| 190   | QC21-SA            | 8 Ea  |            | 12/8/17  | 0.00      | 0.00    | QC21                  |           |          |

Part Op 100 - Cut blanks as per folio CUT BLANK AT 51.000"

Descriptions: 110 - ISSUE P/O: *038259* TO WEEJAY C OF C IS REQUIRED 2- deburr and break all sharp edges

120 - Receive & Inspect for Damage & Mat'l Certs

130 - QC5- Inspect part completeness to step on W/O

131 - CLEAN AND REMOVE ALL PART MARKING

140 - Outsource process-Anodize per QSI017 4.1.10.1 Issue P/O: *038941* Black Anodize as per Dwg D4821

PRIME AS PER DWG AS PER NOTE 2

150 - Receive & Inspect for Damage & Mat'l Certs

152 - QC14- Inspect Spray Paint

155 - QC5- Inspect part completeness to step on W/O

180 - Identify as per dwg & Stock Location: \_\_\_\_\_

190 - QC21- Final Inspection - Work Order Release

### Job Allocations

| Operation             | Component Part       | Required          | Inventory | Allocated | Std Qty |
|-----------------------|----------------------|-------------------|-----------|-----------|---------|
| 90-Start up Operation | M7075T6B2.750X02.000 | <i>5029856</i> 34 | 4         | 0         | 0       |
| 110-Purchasing        | D4821-1P             | 8                 | 0         | 0         | 0       |

### Part Specifications

Specifications could not be found.



**S030122**



**Windshield Deflector**


**Dart Aerospace Ltd.**  
1270 Aberdeen Street  
Hawkesbury, ON K64 1K7  
CANADA  
TEL.: 1 613 632-5200  
Email: [sales@dartaero.com](mailto:sales@dartaero.com)  
[www.dartaerospace.com](http://www.dartaerospace.com)

**PART NO:**  
**Revision:**  
**Operation:**  
**Change No:**

**D4821-1**

**Purchasing**

**Mfg Date: 01/08/18**  
**Job No: 167751**





Status: Receiving

Part: **D4821-1P**

Created: 12/27/17 9:11 AM DART.PLOUFFE.S



Serial No: **S026964**

Status: Receiving

Part: **D4822-2P**

Created: 12/27/17 9:11 AM DART.PLOUFFE.S



Serial No: **S026963**

Status: Receiving

Part: **D4970-3P**

Created: 12/27/17 9:11 AM DART.PLOUFFE.S



Serial No: **S026962**



Dart Hawkesbury  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER PO038259

**Supplier:** WEJ001-VC  
Wejay Machine Products Co. Ltd  
600 O'Connor Drive  
Kingston  
ON  
K7P 1N3 Canada  
Phone: 613-384-1662  
Fax: 613-384-2997

**PO No:** PO038259

**PO Date:** 11/6/17

**Due Date:** 11/20/17

**Purchase Order  
Revision:**

**Revision Date:**

**Ship-To Contact:** Lavoie, Chantal  
clavoie@dartaero.com

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground

**Pymt Terms:** Net 30

**Freight Terms:**

**Special Comments:**

| Items                       |          |     |                  |         |                                                         |          |        |          |                |                   |         |                  |                |
|-----------------------------|----------|-----|------------------|---------|---------------------------------------------------------|----------|--------|----------|----------------|-------------------|---------|------------------|----------------|
| Line Item                   | Part     | Rev | Supplier Part No | Item No | Description                                             | Item Tax | Status | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
| 1                           | D4970-3P |     |                  |         | Windshield Deflector - Upper<br>As per Dwg D4970 Rev. C |          | Firmed | 11/20/17 | 2 Ea           | 0 Ea              | 2 Ea    | \$1,095.00/Ea    | \$2,190.00     |
| Line Item Note job# 167748  |          |     |                  |         |                                                         |          |        |          |                |                   |         |                  |                |
| 2                           | D4822-1P |     |                  |         | Upper Deflector, LH<br>As per Dwg D4822 Rev. C          |          | Firmed | 11/20/17 | 10 pcs         | 0 pcs             | 10 pcs  | \$1,057.00/pcs   | \$10,570.00    |
| Line Item Note JOB# 167749  |          |     |                  |         |                                                         |          |        |          |                |                   |         |                  |                |
| 3                           | D4822-2P |     |                  |         | Upper Right Deflector<br>As per Dwg D4822 Rev. C        |          | Firmed | 11/20/17 | 8 pcs          | 0 pcs             | 8 pcs   | \$1,057.00/pcs   | \$8,456.00     |
| Line Item Note job # 167750 |          |     |                  |         |                                                         |          |        |          |                |                   |         |                  |                |
| 4                           | D4821-1P |     |                  |         | Windshield Deflector<br>As per Dwg D4821 Rev. B         |          | Firmed | 11/20/17 | 8 pcs          | 0 pcs             | 8 pcs   | \$1,095.00/pcs   | \$8,760.00     |
| Line Item Note job# 16751   |          |     |                  |         |                                                         |          |        |          |                |                   |         |                  |                |
| Grand Total: \$29,976.00    |          |     |                  |         |                                                         |          |        |          |                |                   |         |                  |                |

## Order Notes

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Procurement Quality Clauses  
A005 RIGHT OF ENTRY  
A007 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION MAINTAINED BY SUPPLIER)



Packing Slip 38873

600 O'CONNOR DRIVE, KINGSTON, ONTARIO K7P 1N  
TEL: 613-384-1662 FAX: 613-384-299  
www.wejay.cor

SOLD TO  
Dart Aerospace  
1270 Aberdeen Street  
Hawkesbury ON K6A 1K7

SHIP TO  
Dart Aerospace  
1270 Aberdeen Street  
Hawkesbury ON K6A 1K

| INVOICE DATE                                                                                                                                                                                                                                                                                                               |      | YOUR ORDER NO.<br>038259 |                                                                                                          | DATE ORDERED<br>11/07/17 |                                                                | SHIPPED VIA<br>Best way |        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------------------------|----------------------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------|-------------------------|--------|
| CUSTOMER CODE<br>DART                                                                                                                                                                                                                                                                                                      |      |                          | PROV. LIC. NO.                                                                                           |                          | Extra <input type="checkbox"/> Exempt <input type="checkbox"/> |                         | TERMS  |
| QUANTITY ORDERED                                                                                                                                                                                                                                                                                                           | B.O. | QUANTITY SHIPPED         | DESCRIPTION                                                                                              |                          |                                                                | UNIT PRICE              | AMOUNT |
| 2                                                                                                                                                                                                                                                                                                                          | 1    | 1                        | Windshield deflector - upper as per drawing D4970, Rev. C<br>Part number: D4970-3P<br>Job Number: 167748 |                          |                                                                |                         |        |
| 10                                                                                                                                                                                                                                                                                                                         | 10   | 0                        | Upper deflector, LH as per drawing D4822, Rev. C<br>Part number: D4822-1P<br>Job number: 167749          |                          |                                                                |                         |        |
| 8                                                                                                                                                                                                                                                                                                                          | 5    | 3                        | Upper right deflector as per drawing D4822, Rev. C<br>Part number: D4822-2P<br>Job number: 167750        |                          |                                                                |                         |        |
| 4                                                                                                                                                                                                                                                                                                                          | 0    | 8                        | Windshield deflector as per drawing D4821, Rev. B<br>Part number: D4821-1P<br>Job number: 167751         |                          |                                                                |                         |        |
| <p><b>RELEASE NOTE</b></p> <p>I certify that the items listed herein have been inspected and tested and conform to all specifications and requirements in the contract or purchase order.</p> <p>Inspection Supervisor: <i>[Signature]</i><br/>Required by: November 20, 2017</p> <p style="text-align: right;">WMP 03</p> |      |                          |                                                                                                          |                          |                                                                |                         |        |
| ORDER: COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/>                                                                                                                                                                                                                                                  |      |                          |                                                                                                          |                          |                                                                | TOTAL                   |        |

SPA-12-27

DAS  
38  
9-8

H.S.T.

RECEIVED BY \_\_\_\_\_  
1.5% PER MONTH (18% PER ANNUM)  
CHARGED ON OVERDUE ACCOUNTS

NO GOODS RETURNED WITH  
PRIOR AUTHORIZATION





600 O'CONNOR DRIVE, KINGSTON, ONTARIO K7P 1N3

PHONE: (613) 384-1662

FAX: (613) 384-2997

## CERTIFICATE OF COMPLIANCE

|                                                                                                                                                                                                                              |      |                                       |                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------------------------------------|---------------------|
| CUSTOMER: DART Aerospace                                                                                                                                                                                                     |      | DATE: Dec. 12, 2017                   |                     |
|                                                                                                                                                                                                                              |      | P.O.# 38259 item 4                    |                     |
|                                                                                                                                                                                                                              |      | WEJAY JOB# 38873                      |                     |
| <p>I hereby certify that the following material has been inspected/tested and conforms to the requirements and specifications as stated in your contract and as noted below. Any exceptions will be listed as NCR items.</p> |      |                                       |                     |
| PART NO.                                                                                                                                                                                                                     | QTY. | PROCESS (ES)                          | SPECIFICATION / REV |
| D4821-1P<br>'Windshield Deflector'<br>Job# 167751                                                                                                                                                                            | 8    | Machined complete per drawing req'ts. | D4821 /rev. B       |
| <p>Note: 1) Material supplied by Dart Aerospace: for qty 7 parts ref. Dart Batch# M134164; <i>-SØ29856</i><br/>for qty 1 part ref. Dart Batch# M134179. <i>-FM134179</i><br/>2) 1st Article Inspection Report attached.</p>  |      |                                       |                     |

Records of Inspection/Test will be retained for 5 years minimum.

Yours truly,

**Clifford Smith**  
Authorized Q.A. Signatory

# First Article Inspection Report

(Report all dimensions and features required by drawing)

Page 1 of 4

Customer : DART AEROSPACE

Customer P.O. No.: 38259 ITEM 4

Wejay Job No.: 38873

Part Description: WINDSHIELD DEFLECTOR

Part Serial No.: 38873 -D01

Manufacturing Production Order Operation No.: 40

Drawing Number (Including Revision): D4821-1P REV. B

| Drawing Balloon Item<br>(When attaching drawing to<br>itemize features) | Dimension Required | Actual Dimension recorded |
|-------------------------------------------------------------------------|--------------------|---------------------------|
| SEE ATTACHED BALLOON DRAWING & 1ST ARTICLE INSP. REPORT.                |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |
|                                                                         |                    |                           |

Equipment Used: \_\_\_\_\_

☒ Accepted    ☐ Not Accepted    NCR (If applicable)       

Reviewed by: \_\_\_\_\_


Production: \_\_\_\_\_

Date: \_\_\_\_\_

Quality Control: Clifford

Date: DEC 12, 2017





# NOTES:

- 1) MATERIAL: 7075-T6 (OR T651/T651Q/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/9 (OR AMS 4122/4123/4186/4187) OR  
PER AMS-QQ-A-200/11 (REF DART SPEC. M7075T6B)
- 2) FINISH: HARD ANODIZE IAW MIL-A-8628 TYPE III, CLASS 2, COLOR BLACK.  
PRIME IAW MIL-P-23377J TYPE I CLASS N; 1-2 MIL MAX, AS PER QSI 005.
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4821-1", AGUSTA WESTLAND P/N "TBD", REVISION, BATCH NUMBER AND DATE OF MANUFACTURE,  
USING AN X-TENSION STAMP, PER QSI 044 METHOD 6.2
- 7) WEIGHT: 1.93 lbs (0.88 kg)
- 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE: D4821-1-b.IGES (or D4821-1-b.STEP)

| B          | DRAWING REVISED TO NEW CUSTOMER CAD DATA, RIVET HOLES ADDED | DB | 140204 |
|------------|-------------------------------------------------------------|----|--------|
| A          | NEW RELEASE                                                 | DB | 130522 |
| REV.       | DESCRIPTION                                                 | BY | DATE   |
| DESIGN     | DB                                                          |    |        |
| DRAWN      | DB                                                          |    |        |
| CHECKED    | AP                                                          |    |        |
| MFG. APPR. | EPDMA                                                       |    |        |
| APPROVED   | HS                                                          |    |        |
| DE APPR.   | DS                                                          |    |        |
| DATE       | 14.02.04                                                    |    |        |

|                                                          |                        |
|----------------------------------------------------------|------------------------|
| <b>DART AEROSPACE LTD</b><br>HAYKESBURY, ONTARIO, CANADA |                        |
| DRAWING NO.<br><b>D4821</b>                              | REV. B<br>SHEET 1 OF 1 |
| TITLE<br><b>WINDSHIELD DEFLECTOR</b>                     |                        |
| SCALE<br>NTS                                             |                        |

COPYRIGHT © 2013 BY DART AEROSPACE LTD  
ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.





600 O'CONNOR DRIVE  
KINGSTON, ONTARIO  
K7P 1N3

# INSPECTION / TEST REPORT

JOB No. 38873

PAGE: 1 of 2

CUSTOMER: Dart Aerospace

CUST. P.O.# PO 38259 ITEM 4

PART No. D4821-1P

DESCRIPTION: Windshield Deflector

DWG No. D4821

REV. B

E.C.O. --

MATERIAL: 7075-T6 (or T651/T6510/T6511/T62)

INSPECTOR:

Alum. supplied by DART Aerospace

Ref. SCN:

CLIFF SMITH

QUANTITY  
REC'D: 1

ACCEPT:  
1

REJECT:  
—

N.C.R.#  
—

DATE:

DEC 12, 2017

INSTRUCTIONS, COMMENTS: Standard Tolerances per DART QSI 018 unless otherwise noted

— 1ST ARTICLE INSPECTION —

| ITEM<br>REF.<br>No. | CHARACTERISTIC<br>(DIMS IN mm) | DETAILS | TOLERANCE    | DWG<br>SHT/ZONE | RESULT        | QTY.<br>INSP. | COMMENTS<br>(ACC. REJ.<br>REW. NMR #) |
|---------------------|--------------------------------|---------|--------------|-----------------|---------------|---------------|---------------------------------------|
| 1                   | 50.40                          |         | ±.03         | D2              | 50.40         | 1             | Acc.                                  |
| 2                   | 48.73                          |         | ±.03         | D2              | 48.74         | 1             | Acc.                                  |
| 3                   | 46.22                          |         | ±.03         | D3              | 46.23         | 1             | Acc.                                  |
| 4                   | 42.23                          |         | ±.03         | D3              | 42.22         | 1             | Acc.                                  |
| 5                   | .96                            |         | ±.03         | D3              | .965 - .970   | 1             | Acc.                                  |
| 6                   | 15.72                          |         | ±.03         | D6              | 15.72         | 1             | Acc.                                  |
| 7                   | 11.70                          |         | ±.03         | D6              | 11.69         | 1             | Acc.                                  |
| 8                   | 8.53                           |         | ±.03         | D6              | 8.53          | 1             | Acc.                                  |
| 9                   | 2.81                           |         | ±.03         | D7              | 2.810         | 1             | Acc.                                  |
| 10                  | 25°                            |         | ±.5°         | C2              | 25°           | 1             | Acc.                                  |
| 11                  | .01                            |         | ±.03         | B3              | .010          | 1             | Acc.                                  |
| 12                  | R 0.25                         |         | ±.03         | B4              | R.250         | 1             | Acc.                                  |
| 13                  | .04                            |         | ±.03         | B1              | .038          | 1             | Acc.                                  |
| 14                  | R 0.25                         |         | ±.03         | B3              | R.250         | 1             | Acc.                                  |
| 15                  | .187                           |         | ±.010        | B8              | .1875 - .1902 | 1             | Acc.                                  |
| 16                  | .148                           |         | ±.010        | B6              | .148 - .151   | 1             | Acc.                                  |
| 17                  | 1.67                           |         | ±.03         | B7              | 1.677 - 1.679 | 1             | Acc.                                  |
| 18                  | 1.21                           |         | ±.03         | B5              | 1.210 - 1.213 | 1             | Acc.                                  |
| 19                  | .187                           |         | ±.010        | B5              | .184 - .195   | 1             | Acc.                                  |
| 20                  | R 39.4                         |         | ±.10         | C2              | O.K.          | 1             | Acc.                                  |
| 21                  | R 316.2                        |         | ±.10         | B4              | O.K.          | 1             | Acc.                                  |
| 22                  | R 39.4                         |         | ±.10         | C7              | O.K.          | 1             | Acc.                                  |
| 23                  | Ø0.206 hole thru               | 23 pl.  | +.005/- .001 | D5              | .209 - .210   | 1             | Acc.                                  |
| 24                  | 1.36                           | 4 pl.   | ±.03         | D1              | 1.362 - 1.365 | 1             | Acc.                                  |
| 25                  | .79                            | 19 pl.  | ±.03         | D1              | .790 - .793   | 1             | Acc.                                  |
| 26                  | 9.116                          |         | ±.01         | D6              | 9.110         | 1             | Acc.                                  |
| 27                  | 11.667                         |         | ±.01         | D6              | 11.670        | 1             | Acc.                                  |
| 28                  | 14.642                         |         | ±.01         | D6              | 14.646        | 1             | Acc.                                  |
| 29                  | 46.259                         |         | ±.01         | D3              | 46.260        | 1             | Acc.                                  |

| <b>INSPECTION / TEST REPORT</b> |                |         |           |                                   |        | JOB No. 38873 |                                 |
|---------------------------------|----------------|---------|-----------|-----------------------------------|--------|---------------|---------------------------------|
|                                 |                |         |           |                                   |        | PAGE: 2 of 2  |                                 |
| CUSTOMER: Dart Aerospace        |                |         |           |                                   |        |               |                                 |
| CUST. P.O. PO38259 MEM 4        |                |         |           |                                   |        |               |                                 |
| PART No. D4821-1P               |                |         |           | DESCRIPTION: Windshield Deflector |        |               |                                 |
| DWG No. D4821                   |                |         |           | REV. B                            |        | E.C.O.        |                                 |
| REF. No.                        | CHARACTERISTIC | DETAILS | TOLERANCE | DWG SHI/ZONE                      | RESULT | QTY. INSP.    | COMMENTS (ACC. REJ. REW. NMR #) |

|    |           |            |               |    |             |   |          |
|----|-----------|------------|---------------|----|-------------|---|----------|
| 30 | 48.411    |            | ±.01          | D2 | 48.415      | 1 | ACCEPTED |
| 31 | 1.596     | 18 pl.     | ±.01          | D5 | 1.595-1.598 | 1 | Acc.     |
| 32 | 170°      |            | ±.5°          | D6 | 170°        | 1 | Acc.     |
| 33 | R 0.39    |            | ±.03          | D8 | .40 RAD     | 1 | Acc.     |
| 34 | R 0.79    |            | ±.03          | D2 | .80 RAD     | 1 | Acc.     |
| 35 | Deburring | Per note 5 | .005-.010max. | A8 | PASSED      | 1 | Acc.     |
|    |           |            |               |    |             |   | Acc.     |





Dart Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER PO038921

Supplier: ATG001-VC  
A T G Industries Inc  
731 INDUSTRIELLE ROAD  
ROCKLAND  
ON  
K4K 1T2 Canada  
Phone 613-446-4544  
Fax 613-446-4556

Attention: Lalonde, Marc-Andre

Ship To: 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone 613-632-5200

PO No: PO038921

PO Date: 1/31/18

Due Date: 2/9/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Baker, Diane  
Phone dbaker@dartaero.com

**E-MAILED**  
FEB 05 2018

Via: Ground

Pynt Terms: Net 30

Freight Terms:

Special Comments:

| Items |        |                        |                                                                                                                                                             | Status | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|-------|--------|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|----------------|-------------------|---------|------------------|----------------|
| 1     | 170477 | 646 3812               | Gusset Bracket<br>Issue P/O to ATG<br>Hard Anodize Black and Prime as<br>Per Dwg 646 3800                                                                   | Firmed | 2/16/18  | 24 pcs         | 0 pcs             | 24 pcs  | \$7 22/pcs       | \$173 28       |
| 2     | 167748 | D4970-3                | Windshield Deflector - Upper<br>Issue P/O to ATG<br>Hard Anodize, Color Black and Prime<br>as per Dwg D4970 Rev C                                           | Firmed | 2/16/17  | 1 pcs          | 0 pcs             | 1 pcs   | \$35 87/pcs      | \$35 87        |
| 3     | 167750 | D4822-2                | Upper Right Deflector<br>Hard Anodize, Color Black and Prime<br>as Per Dwg D4822 Rev C                                                                      | Firmed | 2/16/17  | 3 pcs          | 0 pcs             | 3 pcs   | \$31 12/pcs      | \$93 36        |
| 4     | 167751 | D4821-1                | Windshield Deflector<br>Issue P/O _____ Hard<br>Anodize, Color Black and Prime as<br>per Dwg D4821 Rev B                                                    | Firmed | 2/16/17  | 8 pcs          | 0 pcs             | 8 pcs   | \$51 37/pcs      | \$410 96       |
| 5     | 169775 | D5227-3                | Seat Track<br>Issue P/O _____<br>Hard Anodize, Color Black and Prime<br>as per Dwg D5227 Rev A                                                              | Firmed | 2/16/17  | 4 pcs          | 0 pcs             | 4 pcs   | \$32 87/pcs      | \$131 48       |
| 6     | 169922 | RBW109-<br>3101-58-2-3 | Hammer Head<br>-Issue P/O to ATG<br>-ANODIZE COLOR CLEAR, PER<br>IAW MIL-A-8625F TYPE 2 CLASS 1,<br>Water sealant<br>-Certificate of Conformity is required | Firmed | 2/9/18   | 5 pcs          | 0 pcs             | 5 pcs   | \$3 47/pcs       | \$17 35        |
| 7     | 169924 | RBW109-<br>3101-58-2-7 | Handle<br>-Issue P/O to ATG<br>-ANODIZE COLOR CLEAR, PER<br>IAW MIL-A-8625F TYPE 2 CLASS 1,<br>Water sealant<br>-Certificate of Conformity is required      | Firmed | 2/9/18   | 4 pcs          | 0 pcs             | 4 pcs   | \$3 47/pcs       | \$13 88        |
| 8     | 168272 | 647 0110               |                                                                                                                                                             | Firmed | 2/16/18  | 15 pcs         | 0 pcs             | 15 pcs  | \$44 12/pcs      | \$661 80       |

Plex 2/6/18 9 50 AM dart baker diane

DAS  
11  
9-88

8/20/18



A.T.G. Industries Inc.  
731 Industrielle Street  
Rockland, ON K4K 1T2  
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

### Pack List

Number: 914732

Date: 07-Mar-18

#### To

Dart Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury, ON K6A 1K7

#### Ship To

Diane Baker  
Dart Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

| Terms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                    | Ship Via  |                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                    | OUR TRUCK |                         |
| Quantity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Description                                                                                                                                                                                                                                        |           |                         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Please reference this document's Pack List number on all correspondences regarding this shipment. If you have any questions, please contact us.                                                                                                    |           |                         |
| 8<br>ea                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Part: D4821-1<br>Windshield Deflector<br>Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils)<br>Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0001-.0002" (.1 - 2 mils) per drawing.<br>Job: 22464 | Rev: B    | PO: PO038921<br>Line: 4 |
| <b>CERTIFICATE OF CONFORMANCE</b><br>A.T.G Industries Inc. certifies that all items in this shipment conform to the requirements.<br><br>Date: <u>07/03/2018</u><br>Certified Signature: <u>[Signature]</u><br>Receiver Signature: _____<br><br>A.T.G Industries Inc. is AS9100 Registered and Nadcap Chemical Processing Accredited.<br><br>Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt. |                                                                                                                                                                                                                                                    |           |                         |
| Made in Canada.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                    |           |                         |